


MAYA Monochromatic DATA-SHEET



PRODUCT DESCRIPTION:

Recessed professional fixed spotlight suitable for indoor applications.
Body Anticorodal aluminium alloy EN AW-6060, front stainless steel AISI 316L.
UV resistance of all materials.

TECHNICALS FEATURES:

Materials	Anticorodal aluminium alloy EN AW-6060 ; Stainless steel inox AISI 316L
Front Finishes	Stainless steel inox AISI 316L
Power Supply	350 mA
Power	1 W @350 mA
Light Source	Power LED
Color Temperature	3000K ; 4000K
Ra	> 80
Chromatic Selection	Mac-Adam 2-step
Lifetime	> 50000 h (TM21)
Optics	Wide beam 50°, transparent screen, satin screen
Tc metal body	< 90 °C
Ta operating temperature	0 ÷ 40 °C
Ts surface temperature	≤ 65 °C
Functions	On/Off ; dimmable
Cable	AWM style 20233 2x0,75mm ² AWG18 (Red-Black) Ø est. 5,2 mm L. 0,5 m.
Weigth	24 g
Installations	Recessed (wall, ceiling)
Norms	60598-1 ; 60598-2 and its parts



NOTE:

Power supplies, control&dimming devices and fixing kits must to be orderd separately. Aldabra power supply consumption is equal to 15% of the fixture nominal power.
Photometric data available at www.aldabra.it

MAYA Monochromatic DATA-SHEET

GENERAL FEATURES:

	version R	version Q	power @350 mA
MAY.01.XXXXX.X	Round		1W
MAY.02.XXXXX.X		Square	1W

OPTICAL FEATURES:

MAY.XX.WXXXX.X	Wide beam 50°
MAY.XX.TXXXX.X	transparent screen
MAY.XX.SXXXX.X	satin screen

LED FEATURES:

	Power LED	lm/W	Ra	Chromatic selection
MAY.XX.X30XX.X	3000K warm white	118	>80	MacAdam 2-step
MAY.XX.X40XX.X	4000K neutral white	130	>80	MacAdam 2-step

FINISHES FEATURES:

MAY.XX.XXXS1.X	satin stainless steel AISI 316L
-----------------------	---------------------------------